Volume 29 · Contents

No 1 January 1992

Editorial
The Human Genome Project and medical genetics *P S Harper* 1

Annotation
Charcot-Marie-Tooth disease type 1 *S Malcolm* 3

Original articles
Estimation of the size of the chromosome 17p11.2 duplication in Charcot-Marie-Tooth neuropathy type 1a (CMT1a) *P Raeymaekers, V Timmerman, E Nelis, W Van Hul, P De Jonghe, J-J Martin, C Van Broeckhoven, and the HMSN Collaborative Research Group* 5

Charcot-Marie-Tooth disease type 1a (CMT1a): evidence for trisomy of the region p11.2 of chromosome 17 in south Wales families *J C MacMillan, M Upadhyaya, P S Harper* 12

A *Taq*I map of the dystrophin gene useful for deletion and carrier status analysis *A P Walker, N G Laing, T Yamada, D C Chandler, B A Kakulas, R J Bartlett* 14

UK clinicians' knowledge of and attitudes to the prenatal diagnosis of single gene disorders *H V Firth, R H Lindenbaum* 20

Effects of genetic screening on perceptions of health: a pilot study *T M Marteau, M van Duijn, I Ellis* 24

What is Pi (proteinase inhibitor) null or PiQO?: a problem highlighted by the α_1 antitrypsin Mheerlen mutation *N Kalsheker, K Hayes, S Weidinger, A Graham* 27

The cyclops and the mermaid: an epidemiological study of two types of rare malformation *B Källén, E E Castilla, P A L Lancaster, O Mutchinick, L B Knudsen, M L Martínez-Frías, P Mastroiacovo, E Robert* 30

Keratosis follicularis spinulosa decalvans: a family study of seven male cases and six female carriers *L D M van Osch, A P Oranje, F M Keukens, P C van Voorst Vader, E Veldman* 36

Familial Scheuermann disease: a genetic and linkage study *L McKenzie, D Sillence* 41

Correlation of skeletal muscle biopsy with phenotype in the familial macrocephaly syndromes *J H DiLiberti* 46

Autosomal dominant palmoplantar hyperkeratosis and sensorineural deafness in three generations *M Sharland, N R Bleach, P D Goberdhan, M A Patton* 50

Paternal origin of the de novo deleted chromosome 4 in Wolf-Hirschhorn syndrome *R Tupler, L Bortotto, E M Bühler, M Alkan, N J Malik, N Bösch-Al Jadooa, L Memo, P Maraschio* 53

Short communication
Exclusion of calcitonin/α-CGRP gene defect in a family with autosomal dominant supravalvular aortic stenosis *G M Pastores, V V Michels, D J Schaid, D J Driscoll, R H Feldt, S N Thibodeau* 56

Syndrome of the month
Schwartz-Jampel syndrome (chondrodystrophic myotonia) *D Viljoen, P Beighton* 58

Case reports
Unbalanced 13;18 translocation and Williams syndrome *A Colley, Y Thakker, H Ward, D Donnai* 63

Pericentric inversion of chromosome 7 (inv(7)(p22q11.2)) and ring chromosome 8 (r(8)(p23q24.3)) in a girl with minor anomalies *R S Verma, R A Conte, J H Pitter, S Luke* 66

Blepharophimosis, eczema, and growth and developmental delay in a young adult: late features of Dubowitz syndrome? *S Lyonnet, G Schwartz, G Gatin, Y de Prost, A Munnich, M Le Merrer* 68

Medical genetics: advances in brief
Comments on important topics from papers in other journals 70

Letters to the Editor
Genes for intelligence on the X chromosome *N Morton* 71
Reply *G Turner, M W Partington* 71

Another human homologue for the mouse mutant disorganisation *R C M Hennekam* 71

Book reviews 72

No 2 February 1992

Annotation

Marfan syndrome: a mystery solved *P Tsipouras* 73

Original articles

A linkage map of 10 loci flanking the Marfan syndrome locus on 15q: results of an International Consortium Study *M Sarfarazi, P Tsipouras, R Del Mastro, M Kilpatrick, P Farndon, M Boxer, A Bridges, C Boileau, C Junien, C Hayward, D Brock, A Child* 75

Marfan syndrome in a large family: response of family members to a screening programme *A B Bridges, M Faed, M Boxer, J R Gray, C Bundy, A Murray* 81

Sensorineural deafness inherited as a tissue specific mitochondrial disorder *L Jaber, M Shohat, X Bu, N Fischel-Ghodsian, H-Y Yang, S-J Wang, J I Rotter* 86

Fetal hydrops *P A Boyd, J W Keeling* 91

Chromosome in situ suppression hybridisation in human male meiosis *A S H Goldman, M A Hultén* 98

Estimates of the frequency of chromosome abnormalities detectable in unselected newborns using moderate levels of banding *P A Jacobs, C Browne, N Gregson, C Joyce, H White* 103

Cyclophosphamide increases the frequency of sister chromatid exchange in direct preparations of human chorionic villi in the absence of supplementary enzymatic activation systems *S Pariani, M Buscaglia, M Piantanida, G Simoni* 109

The clinicopathological features of three babies with osteogenesis imperfecta resulting from the substitution of glycine by valine in the pro α1(I) chain of type I procollagen *W G Cole, E Patterson, J Bonadio, P E Campbell, D W Fortune* 112

The lipoprotein lipase $Gly^{188} \rightarrow Glu$ mutation in South Africans of Indian descent: evidence suggesting common origins and an increased frequency *H E Henderson, F Hassan, G M B Berger, M R Hayden* 119

Multiple mutation in an extended Duchenne muscular dystrophy family *A Miciak, A Keen, D Jadayel, S Bundey* 123

Screening for mutations in the muscle promoter region and for exonic deletions in a series of 115 DMD and BMD patients *L Vitiello, M L Mostacciuolo, S Oliviero, F Schiavon, L Nicoletti, C Angelini, G A Danieli* 127

Cystic fibrosis mutations ΔF508 and G542X in Jewish patients *I Lerer, M Sagi, G R Cutting, D Abeliovich* 131

Short communication

Recurrence of neural tube defect in a group of at risk women: a 10 year study of Pregnavite Forte F *M Holmes-Siedle, R H Lindenbaum, A Galliard* 134

Case report

Unusual T cell clones in a patient with Nijmegen breakage syndrome *D Stoppa-Lyonnet, D Girault, F LeDeist, A Aurias* 136

Medical genetics: advances in brief

Comments on important genetic topics from papers in other journals 138

Letters to the Editor

Sociocultural problems in genetic counselling *M Naveed, S R Phadke, A Sharma, S S Agarwal* 140

Meckel syndrome and neural tube defects in Kuwait *A S Teebi, Q A Al Saleh, H Odeh* 140

Fertility in a male with trisomy 21 *M Bobrow, T Barby, A Hajianpour, D Maxwell, S C Yau* 141

Clinical consequences of deletion 1p35 *S L Wenger, M W Steele, D J Becker* 141

Maxillonasal dysplasia (Binder's syndrome) and chondrodysplasia punctata *F Serville* 141

Book reviews 141

Notices 144

No 3 March 1992

Review article

Splotch locus mouse mutants: models for neural tube defects and Waardenburg syndrome type I in humans *C E Moase, D G Trasler* 145

Annotation

Family history of breast cancer: how important is it? *D T Bishop* 152

Original articles

Family history and risk of breast cancer *R S Houlston, E McCarter, S Parbhoo, J H Scurr, J Slack* 154

Epidemiology of breast cancer in families in Iceland *H Tulinius, H Sigvaldason, G Ólafsdóttir, L Tryggvadóttir* 158

Prenatal prediction of spinal muscular atrophy *R J Daniels, G K Suthers, K E Morrison, N H Thomas, M J Francis, C G Mathew, S Loughlin, A Heiberg, D Wood, V Dubowitz, K E Davies* 165

Prenatal prediction of Werdnig-Hoffmann disease using linked polymorphic DNA probes *J Melki, S Abdelhak, P Burlet, V Raclin, J Kaplan, R Spiegel, S Gilgenkrantz, N Philip, M-L Chauvet, Y Dumez, M-L Briard, J Frézal, A Munnich* 171

An intrachromosomal insertion causing 5q22 deletion and familial adenomatous polyposis coli in two generations *I Cross, J Delhanty, P Chapman, L V Bowles, D Griffin, J Wolstenholme, M Bradburn, J Brown, C Wood, A Gunn, J Burn* 175

Prenatal diagnosis and presymptomatic detection of neurofibromatosis type 1 *M Upadhyaya, A Fryer, J MacMillan, W Broadhead, S M Huson, P S Harper* 180

Clinical variability of type 1 neurofibromatosis: is there a neurofibromatosis-Noonan syndrome? *H J Stern, H M Saal, J S Lee, P R Fain, D E Goldgar, K N Rosenbaum, D F Barker* 184

Absence of linkage of Noonan syndrome to the neurofibromatosis type 1 locus *M Sharland, R Taylor, M A Patton, S Jeffery* 188

Analysis of quantitative PCR for the diagnosis of deletion and duplication carriers in the dystrophin gene *S Abbs, M Bobrow* 191

Case reports

Distal spinal muscular atrophy with vocal cord paralysis *C Pridmore, M Baraitser, E M Brett, A E Harding* 197

Unusual occurrence of cervical myelopathy in a case of Stickler's syndrome *S Noël, D Balériaux, N Telerman-Toppet* 200

Abstracts

Abstracts of the annual scientific meeting of the Association of Clinical Cytogeneticists held on 3 to 5 July 1991 at Earnshaw Hall, Sheffield 203

Medical genetics: advances in brief 214

Letters to the Editor

A new form of infantile spinal muscular atrophy *A García-Alix, J I Rodriguez, J Quero* 215

MASA syndrome (a form of complicated spastic paraplegia) and X linked hydrocephalus: variable expression of the same mutation at Xq28? Call for families *C Schrander-Stumpel, J P Fryns, J J Cassiman, E Legius, A Spaepen, C J Höweler* 215

Book reviews 216

Notices 216

No 4 April 1992

Original articles

Beckwith-Wiedemann syndrome: a demonstration of the mechanisms responsible for the excess of transmitting females *C Moutou, C Junien, I Henry, C Bonaïti-Pellié* 217

Evidence for paternal imprinting in familial Beckwith-Wiedemann syndrome *D Viljoen, R Ramesar* 221

Sex reversal in a child with a 46,X,Yp+ karyotype: support for the existence of a gene(s), located in distal Xp, involved in testis formation *T Ogata, J R Hawkins, A Taylor, N Matsuo, J-I Hata, P N Goodfellow* 226

Highly polymorphic *Xba*I RFLPs of the human 21-hydroxylase genes among Chinese *L Chen, X Pan, Y Shen, Z Chen, Y Zhang, R Chen* 231

Screening of microdeletions of chromosome 20 in patients with Alagille syndrome *C Desmaze, J F Deleuze, A M Dutrillaux, G Thomas, M Hadchouel, A Aurias* 233

Confirmation of genetic linkage between atopic IgE responses and chromosome 11q13 *R P Young, P A Sharp, J R Lynch, J A Faux, G M Lathrop, W O C M Cookson, J M Hopkin* 236

Age at onset and life table risks in genetic counselling for Huntington's disease *P S Harper, R G Newcombe* 239

Genetic and clinical studies in autosomal dominant polycystic kidney disease type 1 (ADPKD1) *E Coto, S Aguado, J Alvarez, M J Menéndez-Días, C López-Larrea* 243

Short communication

Evidence for linkage disequilibrium between *D16S94* and the adult onset polycystic kidney disease (PKD1) gene *S E Pound, A D Carothers, P M Pignatelli, A M Macnicol, M L Watson, A F Wright* 247

Technical note

A strategy for the rapid isolation of new PCR based DNA polymorphisms *P R Hoban, M F Santibanez-Koref, J Heighway* 249

Case reports

Campomelic dysplasia associated with a de novo 2q;17q reciprocal translocation *I D Young, J M Zuccollo, E L Maltby, N J Broderick* 251

A complex chromosome rearrangement with 10 breakpoints: tentative assignment of the locus for Williams syndrome to 4q33–q35.1 *R Tupler, P Maraschio, A Gerardo, R Mainieri, G Lanzi, L Tiepolo* 253

Evidence that Rieger syndrome maps to 4q25 or 4q27 *C Vaux, L Sheffield, C G Keith, L Voullaire* 256

Interstitial deletion of the distal long arm of chromosome 4 *P Sarda, G Lefort, J P Fryns, C Humeau, D Rieu* 259

The orocraniodigital syndrome of Juberg and Hayward *A Verloes, M Le Merrer, J-C Davin, P Wittamer, C Abrassart, G Bricteux, M-L Briard* 262

The Baller-Gerold syndrome *L Van Maldergem, A Verloes, L Lejeune, Y Gillerot* 266

Dysmorphology report

Postnatal short stature, microcephaly, severe syndactyly of hands and feet, dysmorphic face, and mental retardation: a new syndrome? *K Zerres, M Rietschel, E Rietschel, F Majewski, P Meinecke* 269

Abstracts

Abstracts of the Joint British Medical Genetics meeting organised by the Clinical Genetics Society and the Clinical Molecular Genetics Society held on 19 and 20 September 1991 at the University of Bristol 272

Medical genetics: advances in brief 286

Letters to the Editor

Hypoglossia-hypodactyly syndrome with hydrocephalus *A P Lipson, D D Weaver* 287

Fragile X syndrome: as common as first thought? *R D Smart* 287

Book reviews 288

Notices 288

No 5 May 1992

Annotation

Cone and cone-rod dystrophies *A T Moore* 289

Original articles

X linked progressive cone dystrophy with specific attention to carrier detection *J A M van Everdingen, L N Went, J E E Keunen, J A Oosterhuis* 291

Late onset dominant cone dystrophy with early blue cone involvement *L N Went, M J van Schooneveld, J A Oosterhuis* 295

Reverse chromosome painting: a method for the rapid analysis of aberrant chromosomes in clinical cytogenetics *N P Carter, M A Ferguson-Smith, M T Perryman, H Telenius, A H Pelmear, M A Leversha, M T Glancy, S L Wood, K Cook, H M Dyson, M E Ferguson-Smith, L R Willatt* 299

Prenatal cystic fibrosis carrier testing: designing an information leaflet to meet the specific needs of the target population *M E Mennie, W A Liston, D J H Brock* 308

Principles and practicalities of carrier screening: attitudes of recent parents *J M Green* 313

Familial screening for genetic haemochromatosis by means of DNA markers *J Yaouanq, A El Kahloun, M Chorney, A M Jouanolle, V Mauvieux, M Perichon, M Blayau, P Pontarotti, J Y Le Gall, V David* 320

Ectodermal dysplasia with blindness in sibs on the island of Rodrigues *C E Wallis, P Beighton* 323

Oculoauriculovertebral spectrum and cerebral anomalies *C T R M Schrander-Stumpel, C E M de Die-Smulders, R C M Hennekam, J-P Fryns, P X J M Bouckaert, O F Brouwer, J J da Costa, E J P Lommen, P D Maaswinkel-Mooy* 326

Syndrome of the month

Weaver syndrome *T R P Cole, N R Dennis, H E Hughes* 332

Case reports

Small cell lung carcinoma in a patient with Sotos syndrome: are genes at 3p21 involved in both conditions? *T R P Cole, H E Hughes, M J Jeffreys, G T Williams, M M Arnold* 338

Monosomy 10qter: a new case *M Teyssier, C Charrin, J Dutruge, C Rousselle* 342

Tandem duplication of the terminal band of the long arm of chromosome 7 (dir dup(7)(q36→qter)) *R S Verma, R A Conte, J H Pitter* 344

Brachydactyly type C associated with shortening of the hallux *J M Rowe-Jones, A L H Moss, M A Patton* 346

Short reports

Atypical case of Aarskog syndrome *R V-A Mikelsaar, I W Lurie* 349

A de novo insertion, detected prenatally, with normal phenotype *A F Hashish, N A Monk, A J Watt, R J M Gardner* 351

Conference reports

The molecular genetics of Alport syndrome: report of two workshops *F Flinter, M Bobrow* 352

Symposium on epidermolysis bullosa *T Gedde-Dahl Jr* 354

Abstracts

Medical genetics: advances in brief 356

Letters to the Editor

X linked α thalassaemia/mental retardation (ATR-X) syndrome *A E Chudley, R B Lowry* 357

49,XXXXY syndrome: behavioural and developmental profiles *J Jancar* 357

Book reviews 357

Notices 360

No 6 June 1992

Review article

Molecular genetics of neurological tumours *R Y Chung, B R Seizinger* 361

Original articles

Experience with direct molecular diagnosis of fragile X *J C Mulley, S Yu, A K Gedeon, A Donnelly, G Turner, D Loesch, C J Chapman, R J M Gardner, R I Richards, G R Sutherland* 368

Detection and characterisation of an overmodified type III collagen by analysis of non-cutaneous connective tissues in a patient with Ehlers-Danlos syndrome IV *L Nuytinck, P Narcisi, A Nicholls, J P Renard, F M Pope, A De Paepe* 375

Linkage of autosomal dominant dystrophic epidermolysis bullosa in three British families to the marker D3S2 close to the COL7A1 locus *L Al-Imara, A J Richards, R A J Eady, I M Leigh, M Farrall, F M Pope* 381

Limb-girdle type muscular dystrophy in a large family with distal myopathy: homozygous manifestation of a dominant gene? *B Udd* 383

Confirmation of an association between RFLPs at the transforming growth factor-alpha locus and non-syndromic cleft lip and palate *S E Holder, G M Vintiner, B Farren, S Malcolm, R M Winter* 390

No evidence of linkage between the transforming growth factor-alpha gene in families with apparently autosomal dominant inheritance of cleft lip and palate *G M Vintiner, S E Holder, R M Winter, S Malcolm* 393

Use of oocytes from anonymous, matched, fertile donors for prevention of heritable genetic diseases *B J Van Voorhis, R A Williamson, J L Gerard, D G Hammitt, C H Syrop* 398

A complex rearrangement associated with sex reversal and the Wolf-Hirschhorn syndrome: a cytogenetic and molecular study *K Coles, M Mackenzie, J Crolla, J Harvey, J Starr, F Howard, P Jacobs* 400

Distal 8p deletion (8p23.1 →8pter): a common deletion? *R Hutchinson, M Wilson, L Voullaire* 407

Syndrome of the month

Angelman syndrome *J Clayton-Smith, M E Pembrey* 412

Case reports

Ovarian cancer family and prophylactic choices *D G R Evans, G Ribiero, D Warrell, D Donnai* 416

Acromegaloid facial appearance (AFA) syndrome: report of a second family *B Dallapiccola, L Zelante, L Accadia, R Mingarelli* 419

An infant with multiple congenital abnormalities and biochemical findings suggesting a variant of galactosialidosis *B Say, F A Hommes, S A Malik, N J Carpenter* 423

The 3-M syndrome: risk of intracerebral aneurysm? *R F Mueller, J Buckler, R Arthur, G Bonsor, P Dear, K Walters, G M Towns* 425

Cardiofaciocutaneous syndrome with new ectodermal manifestations *P D Turnpenny, J C S Dean, I A Auchterlonie, A W Johnston* 428

Recurrence of orbital cysts in the branchio-oculo-facial syndrome *D W Fielding, A E Fryer* 430

Terminal 22q deletion associated with a partial deficiency of arylsulphatase A *K Narahara, Y Takahashi, M Murakami, K Tsuji, Y Yokoyama, R Murakami, S Ninomiya, Y Seino* 432

Two sibs with Wiedemann-Rautenstrauch syndrome: possibilities of prenatal diagnosis by ultrasound *G Castiñeyra, M Panal, H L Presas, E Goldschmidt, J M Sánchez* 434

Short report

The demonstration of monozygosity in twins discordant for sacral agenesis *M d'A Crawfurd, J Cheshire, T M Wilson, C R J Woodhouse* 437

Abstracts

Medical genetics: advances in brief 439

Letter to the Editor

Palmoplantar hyperkeratosis and deafness *J Verbov* 440

Book reviews 440

Notice 440

No 7 July 1992

Review article

The genetics of type I (insulin dependent) diabetes mellitus *D Cavan, S Bain, A Barnett* 441

Original articles

The aggregation of the 5′ insulin gene polymorphism in insulin dependent (type I) diabetes mellitus families *L J Raffel, G A Hitman, H Toyoda, J H Karam, G I Bell, J I Rotter* 447

A submicroscopic translocation, t(4;10), responsible for recurrent Wolf-Hirschhorn syndrome identified by allele loss and fluorescent in situ hybridisation *J Goodship, A Curtis, I Cross, J Brown, J Emslie, J Wolstenholme, S Bhattacharya, J Burn* 451

Short stature in a girl with a terminal Xp deletion distal to *DXYS15*: localisation of a growth gene(s) in the pseudoautosomal region *T Ogata, P Goodfellow, C Petit, M Aya, N Matsuo* 455

Meiotic and sperm chromosome analysis in a male carrier of an inverted insertion (3;10)(q13.2;p14p13) *A S H Goldman, R H Martin, R Johannisson, C P Gould, E V Davison, J E Emslie, J Burn, M A Hultén* 460

Linkage studies of four fibrillar collagen genes in three pedigrees with Larsen-like syndrome *J Bonaventure, C Lasselin, J Mellier, L Cohen-Solal, P Maroteaux* 465

Site specific screening for point mutations in ornithine transcarbamylase deficiency *D Feldmann, J-M Rozet, A Pelet, D Hentzen, P Briand, P Hubert, C Largilliere, D Rabier, J-P Farriaux, A Munnich* 471

A model to estimate the expression of the dystrophin gene in muscle from female Becker muscular dystrophy carriers *M Vainzof, M R Passos-Bueno, R C M Pavanello, R Schreiber, M Zatz* 476

Genetic variation at fibrinogen loci and plasma fibrinogen levels *J M Connor, F G R Fowkes, J Wood, F B Smith, P T Donnan, G D O Lowe* 480

Prevalence of congenital anomaly syndromes in a Spanish gypsy population *M L Martínez-Frías, E Bermejo* 483

Echocardiography and genetic counselling in tuberous sclerosis *D W Webb, R D Thomas, J P Osborne* 487

Attitudes towards prenatal diagnosis and carrier screening for cystic fibrosis among the parents of patients in a paediatric cystic fibrosis clinic *E K Watson, J Marchant, A Bush, R Williamson* 490

Short communication

Charcot-Marie-Tooth (CMT) Ia duplication at 17p11.2 in Italian families *E Bellone, P Mandich, G L Mancardi, A Schenone, A Uccelli, M Abbruzzese, A Sghirlanzoni, D Pareyson, F Ajmar* 492

Case reports

Spastic disorder in patients with hereditary multiple exostoses, but without spinal cord compression: a new syndrome? *G Hamann, M Zankl, K Schimrigk, R Kloss* 494

Cerebrofaciothoracic dysplasia: a new family *N Philip, A Guala, A Moncla, M Monlouis, S Aymé, F Giraud* 497

Three sibs with phalangeal anomalies, microcephaly, severe mental retardation, and neurological abnormalities *C G Woods, M Crouchman, S M Huson* 500

Necropsy findings in a fetus with a 46,XY,dic t(X;21)(p11.1;p11.1) *N M Smith, H Fernandez, H M Chambers, D F Callen* 503

Balanced translocation (14;20) in a mentally handicapped child with cystinuria *M Sharland, M Jones, M Bain, R Chalmers, J Hammond, M A Patton* 507

Dysmorphology report

Unknown syndrome in sibs: pili torti, growth delay, developmental delay, and mild neurological abnormalities *S K Shapira, A S Neish, B R Pober* 509

Short reports

A terminal deletion of 11q *C Schwarz, C Mpofu, J E Wraith* 511

Trisomy 18 with karyotype 47,XX,−18,+i psu dic(18) *D R Romain, P Dagger, L M Columbano-Green, R H Smythe, R G Parfitt* 513

Chromosomes 14 and 21 as possible candidates for mapping the gene for Sanfilippo disease type IIIC *J Zaremba, W J Kleijer, J G M Huijmans, B Poorthuis, E Fidzianska, I Glogowska* 514

Abstracts

Medical genetics: advances in brief 515

Letters to the Editor

Prevalence of other birth defects among relatives of oral cleft probands *A I Cereijo, M L Martínez-Frías* 516

Microtia, absent patellae, short stature, micrognathia syndrome *R J Gorlin* 516

Book reviews 518

Notices 520

No 8 August 1992

Review article

Genetic deafness *W Reardon* 521

Original articles

Hereditary haemorrhagic telangiectasia: a clinical analysis *M E M Porteous, J Burn, S J Proctor* 527

Genetic transmission of colorectal cancer: exploratory data analysis from a population based registry *M Ponz de Leon, C Scapoli, G Zanghieri, R Sassatelli, C Sacchetti, I Barrai* 531

Comparison of adult height between patients with XX and XY gonadal dysgenesis: support for a Y specific growth gene(s) *T Ogata, N Matsuo* 539

Minute Y chromosome derived marker in a child with gonadoblastoma: cytogenetic and DNA studies *V Petrovic, S Nasioulas, C W Chow, L Voullaire, M Schmidt, H Dahl* 542

Molecular diagnosis of Turner's syndrome *C Gicquel, S Cabrol, H Schneid, F Girard, Y Le Bouc* 547

Genetic mapping of X linked ocular albinism: linkage analysis in British families *S J Charles, A T Moore, J R W Yates* 552

Racial distribution of Duchenne muscular dystrophy in the West Midlands region of Britain *A Roddie, S Bundey* 555

Nine cystic fibrosis patients homozygous for the CFTR nonsense mutation R1162X have mild or moderate lung disease *P Gasparini, G Borgo, G Mastella, A Bonizzato, M Dognini, P F Pignatti* 558

β-hexosaminidase splice site mutation has a high frequency among non-Jewish Tay-Sachs disease carriers from the British Isles *E C Landels, P M Green, I H Ellis, A H Fensom, M Bobrow* 563

Linkage of epidermolysis bullosa simplex to keratin gene loci *K E McKenna, A E Hughes, E A Bingham, N C Nevin* 568

Short communications

The use of DNA from paraffin wax preserved tissue for predictive diagnosis in familial adenomatous polyposis *D G Morton, F Macdonald, M B Cachon-Gonzales, P M Rindl, J P Neoptolemos, M R B Keighley, J D A Delhanty, C M McKeown, M Kilpatrick, M A Hultén* 571

Rapid detection of the highly polymorphic β globin framework by denaturing gradient gel electrophoresis *M Losekoot, H van Heeren, J J Schipper, P C Giordano, L F Bernini, R Fodde* 574

Case reports

Investigation of a female manifesting Becker muscular dystrophy *I A Glass, L V B Nicholson, E Watkiss, M A Johnson, R G Roberts, S Abbs, S Brittain-Jones, H G Boddie* 578

Congenital hydrocephalus secondary to Walker-Warburg syndrome identified on the Manitoba Neonatal Screening Programme for Duchenne Muscular Dystrophy *C R Greenberg, H K Jacobs, T E Nylen, M Gibb, B N Chodirker, M Moffatt, A Lacson, W Halliday, F Bernier, A El-Husseini, A Cameron, K Wrogemann* 583

Simultaneous partial monosomy 10p and trisomy 5q in a case of hypoparathyroidism *M M R Lai, P N Scriven, C Ball, A C Berry* 586

Upper limb defect associated with developmental delay, unilateral poorly developed antihelix, hearing deficit, and bilateral choroid coloboma: a new syndrome *J R Ward, C Saad de Owens, I A Sierra* 589

Progressive vitiligo, mental retardation, facial dysmorphism, and urethral duplication without chromosomal breakage or immunodeficiency *P Labrune, R Assathiany, D Penso, M Odièvre* 592

Short reports

Parental origin of extra chromosomes in persons with X chromosome tetrasomy *D David, R A Marques, M H Carreiro, I Moreira, D G Boavida* 595

Mild pulmonary disease in a cystic fibrosis child homozygous for R553X *J Cheadle, L Al-Jader, M Goodchild, A L Meredith* 597

Abstracts

Medical genetics: advances in brief 598

Letters to the Editor

A clinical and genetic database for management of familial adenomatous polyposis *I Fenton, J Sampson* 599

High proportion of twins in carriers of fragile X syndrome *E F Tizzano, M Baiget* 599

Book reviews 599

No 9 September 1992

Annotation
National haemophilia B molecular genetic register *R Harris* 601

Review article
A new strategy for the genetic counselling of diseases of marked mutational heterogeneity: haemophilia B as a model *F Giannelli, S Saad, A J Montandon, D R Bentley, P M Green* 602

Original articles
X inactivation as a mechanism of selection against lethal alleles: further investigation of incontinentia pigmenti and X linked lymphoproliferative disease *A Harris, J Collins, D Vetrie, C Cole, M Bobrow* 608
Phenotype–genotype correlations in X linked retinitis pigmentosa *J Kaplan, A Pelet, C Martin, O Delrieu, S Aymé, D Bonneau, M L Briard, A Hanauer, L Larget-Piet, P Lefrançois, A Michel-Awad, H Plauchu, J L Dufier, J Frézal, A Munnich* 615
Chromosomal localisation of a pseudoautosomal growth gene(s) *T Ogata, C Petit, G Rappold, N Matsuo, T Matsumoto, P Goodfellow* 624
Non-specific X linked mental retardation with aphasia exhibiting genetic linkage to chromosomal region Xp11 *G N Wilson, C S Richards, K Katz, G S Brookshire* 629
The acrocallosal syndrome and Greig syndrome are not allelic disorders *L A Brueton, K A Chotai, L van Herwerden, A Schinzel, R M Winter* 635
Multipoint mapping of adult onset polycystic kidney disease (PKD1) on chromosome 16 *P M Pignatelli, S E Pound, A D Carothers, A M Macnicol, P L Allan, M L Watson, A F Wright* 638
Mutation analysis of 184 cystic fibrosis families in Wales *J Cheadle, J Myring, L Al-Jader, L Meredith* 642
Identification of a new DMD gene deletion by ectopic transcript analysis *F Rininsland, A Hahn, S Niemann-Seyde, R Slomski, F Hanefeld, J Reiss* 647
Cartilage–hair hypoplasia in Finland: epidemiological and genetic aspects of 107 patients *O Mäkitie* 652
Screening for phenylketonuria in a totalitarian state *L Kalaydjieva, I Kremensky* 656

Syndrome of the month
Weyers' ulnar ray/oligodactyly syndrome and the association of midline malformations with ulnar ray defects *P D Turnpenny, J C S Dean, P Duffy, J A Reid, P Carter* 659

Short communications
X inactivation patterns in females with Alport's syndrome: a means of selecting against a deleterious gene? *D Vetrie, F Flinter, M Bobrow, A Harris* 663
Autosomal dominant retinitis pigmentosa (ADRP): a rhodopsin mutation in a Scottish family *C Bell, C A Converse, M F Collins, L Esakowitz, K F Kelly, N E Haites* 667

Case reports
New dysmorphic features in Rubinstein–Taybi syndrome *D Kanjilal, M A Basir, R S Verma, B K Rajegowda, R Lala, A Nagaraj* 669
18p- syndrome and hypopituitarism *H G Artman, C A Morris, A D Stock* 671

Dysmorphology reports
Bilateral retinopathy, aplastic anaemia, and central nervous system abnormalities: a new syndrome? *T Revesz, S Fletcher, L I Al-Gazali, P DeBuse* 673
Unknown syndrome: nasal hypoplasia, sparse hair, truncal obesity, genital hypoplasia, and severe mental retardation *J-P Fryns, J Delooz, H Van Den Berghe* 676

Abstracts
Medical genetics: advances in brief 678

Letters to the Editor
Beckwith–Wiedemann syndrome *A M Norman, A P Read, D Donnai* 679
A mutation in exon 7 of the CFTR gene is common in the western part of France *M P Audrezet, B Mercier, H Guillermit, C Ferec* 679
Williams syndrome and chromosome 18 *F H Menko, P J H M Stouthart* 679

Book reviews 680

No 10 October 1992

Original articles

The mapping of a gene for craniosynostosis: evidence for linkage of the Saethre-Chotzen syndrome to distal chromosome 7p *L A Brueton, L van Herwerden, K A Chotai, R M Winter* 681

Large de novo DNA deletion in a patient with sporadic neurofibromatosis 1, mental retardation, and dysmorphism *L M Kayes, V M Riccardi, W Burke, R L Bennett, K Stephens* 686

Screening and genetic counselling for relatives of patients with breast cancer in a family cancer clinic *R S Houlston, L Lemoine, E McCarter, S Harrington, K MacDermot, J Hinton, L Berger, J Slack* 691

Sex ratios of affected and transmitting members of multiple case families with neural tube defects *E C M Mariman, B C J Hamel* 695

A non-isotopic in situ hybridisation study of the chromosomal origin of 15 supernumerary marker chromosomes in man *J A Crolla, N R Dennis, P A Jacobs* 699

Ring chromosome 13: lack of distinct syndromes based on different breakpoints on 13q *C A Brandt, J M Hertz, M B Petersen, F Vogel, H Noer, M Mikkelsen* 704

Extravillus dividing fetal cells at CVS: evidence of their erythroblastic origin *G Terzoli, R Cartolano, F Rossella, A Cantù-Rajnoldi, B Brambati, M Fraccaro, G Simoni* 709

The gene for hereditary multiple exostoses does not map to the Langer-Giedion region (8q23–q24) *M Le Merrer, K B Othmane, V Stanescu, S Lyonnet, L Van Maldergem, G Royer, A Munnich, P Maroteaux* 713

Syndrome of the month

Recognition of thalidomide defects *R W Smithells, C G H Newman* 716

Occasional survey

Postgraduate teaching in clinical genetics in the United Kingdom *A W Johnston* 724

Case reports

Difficult diagnosis of the fragile X syndrome made possible by direct detection of DNA mutations *J Tarleton, S Wong, D Heitz, C Schwartz* 726

The OEIS complex (omphalocele-exstrophy-imperforate anus-spinal defects): recurrence in sibs *N M Smith, H M Chambers, M E Furness, E A Haan* 730

Lethal olivopontoneocerebellar hypoplasia with dysmorphic features in sibs *I D Young, P A McKeever, M V Squier, J Grant* 733

A new X linked syndrome with mental retardation and craniofacial dysmorphism? *I Hyde-Forster, G McCarthy, A C Berry* 736

Partial trisomy for 5q and monosomy for 12p in a liveborn child as a result of a complex five breakpoint chromosome rearrangement in a parent *C J A M Van Der Burgt, G F M Merkx, A H Janssen, J C Mulder, R F Suijkerbuijk, D F C M Smeets* 739

A male with trisomy 9 mosaicism and maternal uniparental disomy for chromosome 9 in the euploid cell line *L R Willatt, B C C Davison, D Goudie, J Alexander, H M Dyson, P E Jenks, M E Ferguson-Smith* 742

Trisomy 15 mosaicism in an IVF fetus *C P Bennett, T Davis, M J Seller* 745

De novo t(X;21)(q28;q11) in a girl with phenotypic features of Williams-Beuren syndrome *L Telvi, J M Pinard, R Ion, P M Sinet, A Nicole, J Feingold, O Dulac, A Pompidou, G Ponsot* 747

Short reports

Premature chromosome condensation in a child with trisomy 21 *K Prabhakara, B Kar, S K Murthy* 750

Familial postaxial acrofacial dysostosis syndrome *A Giannotti, M C Digilio, Q Virgili, M G Obregon, A M Guadagni, T Ventura, B Dallapiccola* 752

Conference report

Report of ENMC workshop on the limb-girdle muscular dystrophies *A Clarke* 753

Abstracts

Medical genetics: advances in brief 756

Letters to the Editor

Patent ductus arteriosus in four generations of a family *J C Rogers, M L Begleiter, D J Harris* 758

Linkage disequilibrium between *D16S94* and the locus for adult polycystic kidney disease (*PKD1*) *R G Elles* 758

Book reviews 759

Notice 760

No 11 November 1992

Editorial

Instability versus predictability: the molecular diagnosis of myotonic dystrophy *G K Suthers, S M Huson, K E Davies* 761

Original articles

Comparison of the myotonic dystrophy associated CTG repeat in European and Japanese populations *J Davies, H Yamagata, P Shelbourne, J Buxton, T Ogihara, P Nokelainen, M Nakagawa, R Williamson, K Johnson, T Miki* 766

Minimal expression of myotonic dystrophy: a clinical and molecular analysis *W Reardon, H G Harley, J D Brook, S A Rundle, S Crow, P S Harper, D J Shaw* 770

The correlation of age of onset with CTG trinucleotide repeat amplification in myotonic dystrophy *A Hunter, C Tsilfidis, G Mettler, P Jacob, M Mahadevan, L Surh, R Korneluk* 774

Presymptomatic diagnosis of myotonic dystrophy *H G Brunner, W Nillesen, B A van Oost, G Jansen, B Wieringa, H-H Ropers, H J M Smeets* 780

Specific molecular prenatal diagnosis for the CTG mutation in myotonic dystrophy *J Myring, A L Meredith, H G Harley, G Kohn, G Norbury, P S Harper, D J Shaw* 785

Expansion of the myotonic dystrophy gene in Italian and Spanish patients *S Melchionda, A Cobo, M Gennarelli, L Martorell, C Fattorini, M Baiget, A Lopez De Munain, K Johnson, P Shelbourne, G Novelli, B Dallapiccola* 789

Intestinal pseudo-obstruction in myotonic dystrophy *H G Brunner, B C J Hamel, P Rieu, C J Höweler, F T M Peters* 791

Inheritance of the fragile X syndrome: size of the fragile X premutation is a major determinant of the transition to full mutation *D Heitz, D Devys, G Imbert, C Kretz, J-L Mandel* 794

Frequent small amplifications in the FMR-1 gene in fra(X) families: limits to the diagnosis of 'premutations' *J N Macpherson, D L Nelson, P A Jacobs* 802

Duplication within chromosome 17p11.2 in 12 families of French ancestry with Charcot-Marie-Tooth disease type 1a *A Brice, N Ravisé, G Stevanin, M Gugenheim, P Bouche, C Penet, Y Agid, and the French CMT Research Group* 807

High frequency of the Lebanese allele of the LDLr gene among Brazilian patients with familial hypercholesterolaemia *M S Figueiredo, J E Dos Santos, F L Alberto, M A Zago* 813

Clinical reinvestigation and linkage analysis in the family with Episkopi blindness (Norrie disease) *G Wolff, A Mayerová, T F Wienker, P Atalianis, P Ioannou, M Warburg* 816

Factors affecting the uptake of prenatal diagnosis for sickle cell disease *M Petrou, M Brugiatelli, R H T Ward, B Modell* 820

Polyglandular autoimmune syndrome type I among Iranian Jews *J Zlotogora, M S Shapiro* 824

Case reports

Orofaciodigital syndrome type I in a girl with unilateral tibial pseudarthrosis *K H Örstavik, S E Tangsrud, T Nordshus, A M Finnanger, C Hellum, E Gjessing* 827

Lethal skeletal dysplasia owing to double heterozygosity for achondroplasia and spondyloepiphyseal dysplasia congenita *I D Young, N R Ruggins, J M Somers, J M Zuccollo, N Rutter* 831

An atypical form of mucolipidosis III *P Freisinger, J C Padovani, P Maroteaux* 834

De novo inverted duplication of chromosome 7q *J S Haslam, A M Norman* 837

Abstracts

Medical genetics: advances in brief 839

Book reviews 840

No 12 December 1992

Original articles

A genetic study of type 2 neurofibromatosis in the United Kingdom. I. Prevalence, mutation rate, fitness, and confirmation of maternal transmission effect on severity *D G R Evans, S M Huson, D Donnai, W Neary, V Blair, D Teare, V Newton, T Strachan, R Ramsden, R Harris* 841

A genetic study of type 2 neurofibromatosis in the United Kingdom. II. Guidelines for genetic counselling *D G R Evans, S M Huson, D Donnai, W Neary, V Blair, V Newton, T Strachan, R Harris* 847

Linkage analysis with chromosome 15q11-13 markers shows genomic imprinting in familial Angelman syndrome *E J Meijers-Heijboer, L A Sandkuijl, H G Brunner, H J M Smeets, A J M Hoogeboom, W H Deelen, J O van Hemel, M R Nelen, D F C M Smeets, M F Niermeijer, D J J Halley* 853

Association between schizophrenia and homozygosity at the dopamine D3 receptor gene *M-A Crocq, R Mant, P Asherson, J Williams, Y Hode, A Mayerova, D Collier, L Lannfelt, P Sokoloff, J-C Schwartz, M Gill, J-P Macher, P McGuffin, M J Owen* 858

Linkage investigation of three putative tuberous sclerosis determining loci on chromosome 9q, 11q, and 12q *J R Sampson, L A J Janssen, L A Sandkuijl, and the Tuberous Sclerosis Collaborative Group* 861

Computer simulation of linkage and heterogeneity in tuberous sclerosis: a critical evaluation of the collaborative family data *L A J Janssen, L A Sandkuijl, J R Sampson, D J J Halley* 867

Deficiencies of fibrillin and decorin in fibroblast cultures of a patient with neonatal Marfan syndrome *A Superti-Furga, M Raghunath, P J Willems* 875

Constitutional ring chromosomes and tumour suppressor genes *N Tommerup, R Lothe* 879

Severity of chest disease in cystic fibrosis patients in relation to their genotypes *L N Al-Jader, A L Meredith, H C Ryley, J P Cheadle, S Maguire, G Owen, M C Goodchild, P S Harper* 883

A new mutant transthyretin (Arg 10) associated with familial amyloid polyneuropathy *T Uemichi, J R Murrell, S Zeldenrust, M D Benson* 888

Predicted and observed sizes of dystrophin in some patients with gene deletions that disrupt the open reading frame *L V B Nicholson, K M D Bushby, M A Johnson, J T den Dunnen, I B Ginjaar, G-J B van Ommen* 892

Quantitative Southern blot analysis in the dystrophin gene of Japanese patients with Duchenne or Becker muscular dystrophy: a high frequency of duplications *Y Hiraishi, S Kato, T Ishihara, T Takano* 897

Presymptomatic diagnosis of von Hippel-Lindau disease with flanking DNA markers *E R Maher, E Bentley, S J Payne, F Latif, F M Richards, M Chiano, S Hosoe, J R W Yates, M Linehan, D E Barton, G Glenn, N A Affara, M Lerman, B Zbar, M A Ferguson-Smith* 902

Nine generations of a family with autosomal dominant retinitis pigmentosa and evidence of variable expressivity from census records *M Jay, A C Bird, A N Moore, B Jay* 906

Causes of death in patients with Huntington's disease and in unaffected first degree relatives *S A Sørensen, K Fenger* 911

Clinical practice in medical genetics

Predictive testing for Huntington's disease: protocol of the UK Huntington's Prediction Consortium *D Craufurd, A Tyler, on behalf of the UK Huntington's Prediction Consortium* 915

Short communication

Direct analysis of the FMR-1 gene provides an explanation for an exceptional case of a fragile X negative, mentally retarded male in a fragile X family *J Tarleton, S Wong, C Schwartz* 919

Case report

Angelman syndrome with a chromosomal inversion 15 inv(p11q13) accompanied by a deletion in 15q11q13 *T Webb, J Clayton-Smith, X-J Cheng, J H M Knoll, M Lalande, M E Pembrey, S Malcolm* 921

Obituary

Dr Richard Herbert Lindenbaum, FRCP, 9.7.33–10.4.92 *J H Edwards, O Sacks* 925

Abstracts

Medical genetics: advances in brief 927

Letters to the Editor

Ovarian cancer family and prophylactic choices *D M Eccles, R S Houlston* 928

Reply *D G R Evans* 928

The importance of differentiating Simpson-Golabi-Behmel and Beckwith-Wiedemann syndromes *R Hughes-Benzie, J Allanson, A Hunter, T Cole* 928

Index 929